

# MOTAQUIP

## SAFETY DATA SHEET

(SDS)

Revision Date 06/00 Data Sheet Number HS 110

### 1. Identification of the Substance/Preparation and Company/Undertaking

Substance or preparation trade name: **MOTAQUIP HYLOMAR/INSTANT GASKET**

Unique reference number(s): **VAC 162 & VOL 408**

Company/undertaking name, address and normal telephone number:

**MOTAQUIP**

**Tel: 024 76 883000**

**PO BOX 126**

**Fax: 024 76 883001**

**TORRINGTON AVENUE**

**COVENTRY CV4 9UX**

**EMERGENCY TELEPHONE NUMBER: 01942 501000**

### 2. Composition/Information on Ingredients

Substance? **Yes**

Substance Name:

**MOTAQUIP HYLOMAR/INSTANT  
GASKET**

#### **HAZARDOUS INGREDIENT**

#### **APPROXIMATE CONCENTRATION**

Industrial Methylated Spirit

15.35 %

### 3. Hazards Identification

Highly flammable.

SAFETY DATA SHEET FOR: Motaquip Hylomar/Instant Gasket;

**VAC 162,**

**VOL 408.**

**Page 1 of 4**

# MOTAQUIP

# MOTAQUIP

## 4. First Aid measures

### Effects of Over-Exposure:

**Inhalation:** May cause irritation to the mucous membranes and upper respiratory tract.

**Skin contact:** May cause irritation.

**Eye contact:** May cause irritation.

**Ingestion:** Central nervous depression.

### Treatment of Over-Exposure By:

**Eye Contact:** Promptly wash eyes with lots of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

**Skin Contact:** Wash the skin immediately with soap and water. Seek medical advice if irritation persists.

**Inhalation:** Move the exposed person to fresh air at once. Perform artificial respiration if breathing has stopped. Keep the affected person warm and at rest. Get prompt medical attention. Give nothing by mouth.

**Ingestion:** Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention immediately.

## 5. Fire Fighting Measures

**Suitable Extinguishing Media:** Use water spray, fog or mist. Alcohol resistant foam.

**Unsuitable Extinguishing Media:** N/A

**Special Fire Fighting Procedures:** Vapours are highly flammable.

**Exposure Hazards:** Fire creates oxides of carbon.

**Protective Equipment for Fire Fighters:** Self contained breathing apparatus.

## 6. Accidental Release Measures

**Personal Precautions:** Use approved respirator, if air contamination is above exposure limits. Use PVC gloves if there is a risk of direct contact or splash. Wear safety goggles where eye exposure is reasonably probable.

**Environmental Precautions:** Do not allow the product to enter drains, sewers or waterways.

**Cleanup and Neutralisation Methods:** Wipe spill away with absorbent material. Observe all safety precautions.

SAFETY DATA SHEET FOR: Motaquip Hylomar/Instant Gasket;

VAC 162,  
VOL  
Page 2 of

408.

4

# MOTAQUIP

# MOTAQUIP

## 7. Handling and Storage

**Precautions for Safe Handling:** Avoid spilling, eye and skin contact. Do not use in confined spaces without adequate ventilation and/or respirator.

**Storage Precautions:** Keep away from heat, sparks and open flame. Keep in cool, dry, ventilated storage and closed containers. Keep away from children.

## 8. Exposure Controls/Personal Protection

**Technical Protective Measures:** Provide adequate general and local exhaust ventilation.

**Exposure Control Limits:** Industrial Methylated Spirits CAS No. 64-17-5

**ORS 8hrs** 1000 ppm

**Respiratory protection:** Where good natural (or mechanical exhaust) ventilation is not practicable, suitable respiratory equipment must be worn. This especially applies when using the product in confined areas.

**Hand protection:** For prolonged or repeated skin contact use suitable protective gloves.

**Eye/Face protection:** Safety glasses.

**Skin Protection:** Wear PVC or other impermeable suit if there is danger of splashing.

## 9. Physical and Chemical Properties

**Physical state:** Viscous Paste

**Colour:** Dark Brown

**Odour:** Alcohol

**Boiling Point Range:** 78° C

**pH:** N/A

**Flashpoint:** 37° C Abel open cup

**Vapour pressure:** 5.81 kPa @ 20° C

**Vapour density:** 1.59

**Relative density/Specific Gravity:** 1.10

**Solubility in Water:** Slightly soluble in water, miscible with organic solvents (most)

**Flammability:** Highly flammable

**Autoignition Temperature:** 365° C

**Explosive Limits:** Lower 3.3% Upper 19%

**Oxidising Properties:** N/A

**Solubility:**

**Solubility with Fats and Oils:** N/D

**Partition Coeff. (n-Octanol/Water):** N/D

**Viscosity:** 22,000 cps

**Other Information:**

## 10. Stability and Reactivity

**Conditions to avoid:** Keep away from oxidisers, heat and flames.

**Materials to avoid:** Strong oxidising agents.

**Hazardous Decomposition Products:** Fire creates oxides of carbon.

SAFETY DATA SHEET FOR: Motaquip Hylomar/Instant Gasket;

VAC 162,  
VOL  
Page 3 of

408.

4

# MOTAQUIP

# MOTAQUIP

## 11. Toxicological Information

Components have a low order of acute toxicity.

## 12. Ecological Information

**Degradability:** No data available.

**Acute Fish Toxicity:** No data available.

**Water Hazard Classification:** Data available. However see Disposal Considerations.

## 13. Disposal Considerations

**Disposal Methods:** Dispose of in accordance with Local Authority requirements. Do not allow the product to enter drains or water courses, or be deposited where it can effect ground or surface waters.

## 14. Transport Information

**UN Number:** None.

**Packaging Group:** N/A

## 15. Regulatory Information

**Label for Supply:** Highly Flammable!

**Classification:** Highly Flammable.

**Risk Phrases:** R 11 – Highly Flammable

Safety Phrases: S 2 – Keep away from children

S 7 – Keep container tightly closed

S 16 – Keep away from sources of ignition.

## 16. Other Information

**Sources of Key Data:** Suppliers MSDS CHIP 1996 Regulations.

*The data contained in this Safety Data Sheet has been supplied as required by the **Chemicals (Hazard Identification and Packaging for Supply) Regulations 1994**, as amended (if applicable), for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided.*

**Please ensure that it is passed on to the appropriate person(s) in your company, who are capable of acting on the information.**

**SAFETY DATA SHEET FOR: Motaquip Hylomar/Instant Gasket;**

**VAC 162,**

**VOL 408.**

**Page 4 of 4**

# MOTAQUIP